



Functional Unit

Scenario name:	UHM
Product:	Coastal Threads™ 20-Can Picnic Cooler
Primary Material:	
Scope:	Cradle - Gate

Total Results

GHG
(kg Co2-eq)

10.6224

Water Use
(m3 world eq. deprived)

3.6184

Land Use
(points)

26.4662

Main Environmental Indicators

GHG
Kg Co2-eq

The increase in the average global temperatures for 100 years as result of greenhouse gas (GHG) emissions. The greatest contributor is generally the combustion of fossil fuels such as coal, oil, and natural gas. Divided into 3 subcategories based on the emission source: (1) fossil resources, (2) bio-based resources, and (3) land use change.

Results:	10.6224	Kg Co2-eq
Benchmark:	11.1806	Kg Co2-eq
Savings %:	4.9926	
Avoided:	0.5582	Kg Co2-eq

Water Use
m3 world eq. deprived

The withdrawal of water from lakes, rivers or groundwater can contribute to the 'depletion' of available water. The impact category considers the availability or scarcity of water in the regions where the activity takes place, if this information is known.

Results:	3.6184	m ³ world eq. deprived
Benchmark:	3.6127	m ³ world eq. deprived
Savings %:	-0.1582	
Avoided:	-0.0057	m ³ world eq. deprived

Land Use
Points

Use and transformation of land for agriculture, roads, housing, mining or other purposes. The impacts can vary and include loss of species, of the organic matter content of soil, or loss of the soil itself (erosion). This is a composite indicator measuring impacts on four soil properties (biotic production, erosion resistance, groundwater regeneration and mechanical filtration).

Results:	26.4662	Points
Benchmark:	27.1243	Points
Savings %:	2.4262	
Avoided:	0.6581	Points