



Functional Unit

Scenario name:	WGI
Product:	Oasis Recycled Stainless Steel Lid Handle Bottle - 680 ml
Primary Material:	
Scope:	Cradle - Gate

Total Results

 GHG (kg Co2-eq)	 Water Use (m3 world eq. deprived)	 Land Use (points)
2.9928	0.8148	10.5887

Main Environmental Indicators



The increase in the average global temperatures for 100 years as result of greenhouse gas (GHG) emissions. The greatest contributor is generally the combustion of fossil fuels such as coal, oil, and natural gas. Divided into 3 subcategories based on the emission source: (1) fossil resources, (2) bio-based resources, and (3) land use change.

Results:	2.9928	Kg Co2-eq
Benchmark:	3.4667	Kg Co2-eq
Savings %:	13.6700	
Avoided:	0.4739	Kg Co2-eq



The withdrawal of water from lakes, rivers or groundwater can contribute to the 'depletion' of available water. The impact category considers the availability or scarcity of water in the regions where the activity takes place, if this information is known.

Results:	0.8148	m ³ world eq. deprived
Benchmark:	1.1431	m ³ world eq. deprived
Savings %:	28.7200	
Avoided:	0.3283	m ³ world eq. deprived



Use and transformation of land for agriculture, roads, housing, mining or other purposes. The impacts can vary and include loss of species, of the organic matter content of soil, or loss of the soil itself (erosion). This is a composite indicator measuring impacts on four soil properties (biotic production, erosion resistance, groundwater regeneration and mechanical filtration).

Results:	10.5887	Points
Benchmark:	11.5255	Points
Savings %:	8.1300	
Avoided:	0.9368	Points